

**HP**

## **Exam Questions HPE0-S59**

HPE Compute Solutions



**NEW QUESTION 1**

Your customer is implementing an HPE Synergy solution based on three frames. Click each of the ports that can be used to connect satellite modules.



**Solution:**



Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**NEW QUESTION 2**

Your customer needs to move an application from an HPE Synergy 480 Gen10 Compute Module to an HPE Synergy 660 Gen 10 Compute Module. The 480 has a switch that has been manually zoned outside of HPE OneView. What must the customer do before migrating the application?

- A. Migrate the application to a Logical JBOD and connect it to the new server
- B. Copy the server profile and assign the clone to the new hardware
- C. Edit the server profile and change server hardware type
- D. Create a new server profile template and apply to the new hardware

**Answer: C**

**NEW QUESTION 3**

Your customer has the following HPE Synergy setup

- 3 HPE Synergy 12000 Frames
- 4 HPE Virtual Connect SE 100 Gb F32 Modules
- 2 HPE Synergy 50 GO Interconnect Link Modules
- 36 HPE Synergy 480 Gen10 Plus compute modules
- 2 HPE Composer 2 modules

Which statement about this setup is true?

- A. To use all compute nodes, the customer must create at least two logical enclosures
- B. To manage all frames, the customer must buy two additional HPE Composer 2 modules
- C. The customer must buy 36 HPE OneView Advanced licenses to manage compute modules
- D. The customer can add one D3940 storage Module to each of the frames

**Answer: C**

**NEW QUESTION 4**

Your customer plans to deploy a VMware ESXi with HPE Synergy platform. They plan to use Distributed Switches and DRS cluster. You are preparing a proposal with the following components:

- HPE Synergy frame with ten HPE Synergy 480 Gen10 Plus compute modules
  - two HPE Virtual Connect SE 100Gb F32 Modules for Synergy
  - an appropriate number of the vSphere Standard licenses for each compute node
  - one HPE D3940 Storage Modules with 40 SSDs - all required cables and options
- Which statement about this proposal is true?

- A. One HPE Virtual Connect SE 100Gb F32 Module for Synergy should be replaced with 50GD/S ILM
- B. vSphere Standard licenses should be replaced with Enterprise Plus licenses to enable requested features
- C. 2 additional HPE Synergy 480 Gen10 Plus compute modules can be added to this setup
- D. 20 SSD drives should be removed from this setup, as D3940 supports only 20 SSD or SAS drive.

**Answer: B**

**NEW QUESTION 5**

Which statement about an HPE Oneview support dump is true?

- A. Appliance support dump by default contains a logical enclosure support dump
- B. Support dump is a binary file that can be opened only in a dedicated application
- C. Support dump can be created if HPE Virtual Connect modules are installed in the frame
- D. Preview support dump is available only when creating an appliance support dump

**Answer: B**

**NEW QUESTION 6**

In the past a customer experienced a networking issue where network ports went down and came back up in quick succession. Which HPE Virtual Connect SE 100 GD F32 Module for HPE Synergy feature can be configured to disable such ports?

- A. Pause flood protection
- B. sFlow
- C. Storm control
- D. Port flap protection

**Answer: B**

**NEW QUESTION 7**

Which statement about HPE Superdome Flex 280 is true?

- A. It supports 2 to 8 sockets in 2-socket increments.
- B. it cannot be managed using HPE OneView.
- C. It must be equipped with at least 768 GB of memory.
- D. It can support up to two nPars with an external RMC.

**Answer: C**

**NEW QUESTION 8**

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

**Steps**

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Add vCenter Server to HPE OneView for VMware vCenter Server

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

**Answer Area**

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.

Add vCenter Server to HPE OneView for VMware vCenter Server

**Solution:**

**Steps**

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Add vCenter Server to HPE OneView for VMware vCenter Server

Deploy new ESXi systems using vCenter Server interface.

Upload HPE-friendly ESXi image.

**Answer Area**

Add vCenter Server to HPE OneView for VMware vCenter Server

Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.

Upload HPE-friendly ESXi image.

Deploy new ESXi systems using vCenter Server interface.

Does this meet the goal?

- A. Yes
- B. No

**Answer: A**

**NEW QUESTION 9**

Your customer has the following HPE Synergy setup

- Three frames fully populated with HPE Synergy 480 Gen10 Plus modules and 25Gb/s downlink speed formulating a single logical enclosure
- Two HPE Virtual Connect SE 100Gb F32 Module for Synergy
- Four HPE Synergy 50Gb interconnect Link Module
- Six HPE Synergy Virtual Connect SE 32Gb FC Modules The customer needs to add a frame.

Which statement about the expansion of this setup is true?

- A. The additional frame must have HPE Virtual Connect FC modules installed
- B. The customer can grow the existing logical enclosure up to 5 frames
- C. The customer has to create a new logical enclosure for the additional frame
- D. The additional frame cannot have 12Gb SAS connection modules installed

**Answer: C**

**NEW QUESTION 10**


An administrator tries to open iLO interlace from HPE OneView Instead of being automatically logged in a login prompt displays Where should you start the troubleshooting process?

- A. At the iLO interface to verify whether the ILO Advanced license is properly applied
- B. At HPE OneView Interface to verify whether the server is In the maintenance mode
- C. At the iLO interface to verify whether the SSO certificate is removed from an iLO.
- D. At HPE OneView Interface to verify whether the iLO processor is disabled


**Answer:** A

**NEW QUESTION 11**

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade. Click the parameter that the customer should configure within an uplink set to meet this requirement



**Solution:**



Does this meet the goal?

- A. Yes
- B. No

**Answer:** A

**NEW QUESTION 12**

Which statement about the SY480 Gen10 Plus Compute Module is true?

- A. It cannot be mixed with Gen9 compute modules in the same frame.
- B. It supports 8 memory channels and memory DIMMs of up to 256GB.
- C. It only supports NVDIMM Persistent Memory.
- D. It supports "3rd Gen AMO EPYC Server Processors with 64 cores.

Answer: C

**NEW QUESTION 13**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **HPE0-S59 Practice Exam Features:**

- \* HPE0-S59 Questions and Answers Updated Frequently
- \* HPE0-S59 Practice Questions Verified by Expert Senior Certified Staff
- \* HPE0-S59 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* HPE0-S59 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The HPE0-S59 Practice Test Here](#)**