

HP

Exam Questions HPE6-A70

Aruba Certified Mobility Associate Exam



NEW QUESTION 1

A network administrator examines a list of 2.4GHz clients with low performance in the Mobility Master (MM) dashboard. Which property for a client should pose a concern as a potential performance issue?

- A. Radio PHY of HT 20MHz
- B. Max speed of 72Mbps
- C. SNR of 18
- D. Usage of 10 MB

Answer: C

NEW QUESTION 2

Which feature is unique to 802.11ac Wave 2 access points?

- A. band steering
- B. multiple spatial streams
- C. 40MHz channel bonding
- D. multi-user MIMO (MU-MIMO)

Answer: D

NEW QUESTION 3

A company has an Aruba solution and wants to provide guests with wireless access. The company wants to assign guests IP addresses in subnets that exist only within the Aruba solution. Which feature should network administrators set up so guests can send traffic on the Internet without changes to the company routing solution?

- A. Enable NAT on the VLAN assigned to the guest WLAN.
- B. Set up a dynamic default gateway on the Mobility Controllers (MCs).
- C. Create destination NAT rules for the guest role.
- D. Enable policy-based routing for the guest traffic.

Answer: A

NEW QUESTION 4


How does WPA2 protect wireless user traffic in the air?

- A. It provides data integrity with AES and no data privacy.
- B. It provides both data integrity and privacy with AES.
- C. It provides data privacy with TKIP and no data integrity.
- D. It provides data integrity with TKIP and data privacy with AES.

Answer: B

NEW QUESTION 5

Refer to the exhibit.



The exhibit shows the AAA profile for a WLAN on an Aruba solution. This WLAN uses 802.1X to authenticate users to a RADIUS server. A user successfully authenticates with 802.1X, but the RADIUS server does not send a role assignment. How does the Aruba firewall handle the role assignment for this user?

- A. It does not assign a role.
- B. It applies the Aruba VSA role employee.
- C. It assigns the logon role.

D. It assigns the authenticated role.

Answer: D

NEW QUESTION 6

What is an example of a Layer2 wireless threat that a wireless intrusion detection system (WIDS) should detect?

- A. 802.11 association floods
- B. RF jamming
- C. Bluetooth interference
- D. spyware

Answer: A

NEW QUESTION 7

A network administrator uses a wireless intrusion detection system (WIDS) to detect 802.11 association floods. At which layer do these attacks occur?

- A. Layer 1
- B. Layer 2
- C. Layer 3
- D. Layer 7

Answer: B

NEW QUESTION 8

A company has an Aruba solution that is monitored by AirWave. Several users have recurring connectivity and performance issues with their wireless clients. How can network administrators use AirWave to monitor these clients more easily?

- A. Specify the clients as Watched Clients and view the tables and graphs for these clients.
- B. Click the Down icon in the Airwave banner to quickly see a list of issues with client connections.
- C. Use the Client > Tags windows to tag the client for periodic checks and analysis.
- D. Run Device Summary reports and filter for the client MAC addresses within the report.

Answer: B

NEW QUESTION 9

How does a high-gain omni-directional antenna compare to a typical omni-directional antenna?

- A. it provides more multi-user spatial streams.
- B. it provides more coverage in the horizontal direction than in the vertical direction.
- C. it provides more single-user spatial streams.
- D. it provides more coverage in both the horizontal and vertical directions.

Answer: B

NEW QUESTION 10

A company has an Aruba Mobility Master (MM)-based solution. Where can a network administrator look to find a list of alerts about a variety of issues on the MM or managed devices?

- A. the Potential Issues dashboard
- B. the top banner
- C. the MM Maintenance pages
- D. the Performance dashboard

Answer: B

NEW QUESTION 11

What is one setting that a network administrator can configure for user roles in an Aruba solution?

- A. DHCP pool
- B. ClientMatch rules
- C. source NAT
- D. Maximum session

Answer: D

NEW QUESTION 12

A network administrator examines a list of 2.4GHz clients with low performance in the Mobility Master (MM) dashboard. Which property for a client should pose a concern as a potential performance issue?

- A. Radio PHY of HT 20MHz
- B. Max speed of 72Mbps
- C. Goodput data rate of 12 Mbps
- D. Usage of 10 MB

Answer: D

NEW QUESTION 13

Which Aruba controller supports a maximum of 512 APs?

- A. Aruba 7010
- B. Aruba 7030
- C. Aruba 7210
- D. Aruba 7240

Answer: C

NEW QUESTION 14

Which Mobility Master (MM) dashboard should an administrator access to view a list of rogue and interfering APs?

- A. Potential issues
- B. Security
- C. Performance
- D. Network

Answer: B

NEW QUESTION 15

Refer to the exhibits.

Exhibit 1

AAA Profile: Exam_Employees

AAA Profile:

Initial role:

MAC Authentication Default Role:

802.1X Authentication Default Role:

Download Role from CPPM:

Set username from dhcp option 12:

L2 Authentication Fail Through:

Multiple Server Accounting:

User Idle timeout: seconds

Max IPv4 for Wireless user:

RADIUS Interim Accounting:

Exhibit 2

Clients(1) Default Columns ▾ ▲								
Client	Health(%)	IP Address	Bond	Radio PHY	Client PHY	Device	Role	Forward Mode
employee	48	10.1.51.150	2.4 GHz	HT 2D MHz	HT 2D MHz	Unknown	guest	Tunnel

An Aruba solution supports a WLAN that uses WPA2-Enterprise security. Exhibit 1 shows the AAA policy for the WLAN. Users are supposed to be assigned to different roles after authentication. Network administrators test a connection with the employee user account. Exhibit 2 shows the status for the client after this test. What is a possible reason for the issue shown in Exhibit 2?

- A. The shared key configured for the ClearPass server is incorrect.
- B. The RADIUS server is not correctly set up to send a user role for the employee account.
- C. MAC authentication is enabled on the WLAN, and the test device does not have an authorized address.
- D. The administrators entered the wrong password for the employee account.

Answer: B

NEW QUESTION 16

What does an Aruba Mobility Master (MM) do before it deploys a configuration to a Mobility Controller (MC)?

- A. It encrypts the configuration to be deployed and backs it up to a secure archive.
- B. It obtains the current configuration, encrypts it, and backs it up to a secure archive.
- C. It synchronizes the configuration with templates on Aruba AirWave.
- D. It removes any commands that are not supported on that MC or have dependency errors.

Answer: D

NEW QUESTION 17

What is required for a WLAN that uses WPA2-Enterprise security?

- A. a Web server to host a login portal
- B. a shared password to secure access to the WLAN
- C. RADIUS server or servers
- D. a policy to allow unauthenticated users to receive RADIUS

Answer: C

NEW QUESTION 18

A company wants to provide wireless access for visitors with their Aruba solution. Which configuration feature enables the guest to access the wireless network without authentication?

- A. use of internal captive portal with email registration
- B. addition of custom rules to control access for unauthenticated guests
- C. use of internal captive portal with authentication
- D. redirection of guests to an external captive portal that provides encryption services

Answer: B

NEW QUESTION 19

An Aruba Remote AP (RAP) operates in split-tunnel mode. How does the AP forward traffic?

- A. It sends all user traffic in a GRE tunnel to a central Mobility Controller (MC), and it sends control traffic in an IPsec tunnel to the controller.
- B. It sends traffic destined to the corporate network in an IPsec tunnel to a central Mobility Controller (MC), and it bridges other traffic locally.
- C. It sends user and control traffic in two separate IPsec tunnels to the Mobility Controller (MC).
- D. It sends all employee and control traffic in a GRE tunnel to a central Mobility Controller (MC), and it bridges all guest traffic locally.

Answer: B

NEW QUESTION 20

A network administrator needs to configure firewall rules for three roles:

- > Finance
- > Sales
- > Employee

Several rules apply to both the Employee and Sales roles, but not to the Finance role. What is the simplest way to configure these rules?

- A. Define the Employee and Sales roles as internal roles, and then configure the rules as global rules for internal users.
- B. Apply these rules as a subnet-based policy, and then ensure that only Employee and Sales users are assigned IP addresses in that subnet.
- C. Select either the Employee or Sales role, and then configure these rules within the global policy.
- D. Create a policy with these rules, and then apply that policy to the Employee and Sales roles.

Answer: D

NEW QUESTION 21

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

HPE6-A70 Practice Exam Features:

- * HPE6-A70 Questions and Answers Updated Frequently
- * HPE6-A70 Practice Questions Verified by Expert Senior Certified Staff
- * HPE6-A70 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * HPE6-A70 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The HPE6-A70 Practice Test Here](#)