

# Salesforce

## Exam Questions OmniStudio-Developer

Salesforce Certified OmniStudio Developer



#### NEW QUESTION 1

A developer needs to display read-only contact information in a OmniScript. The developer will format the information as a table, using merge codes to dynamically include first name, last name, street address, state, postal, code, and country from the data JSON.

Which OmniScript element should the developer use to meet this requirement?

- A. Rich text Area
- B. Text area
- C. Text Block
- D. Edit Block

**Answer: C**

#### NEW QUESTION 2

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A DataRaptor Load saves the data. What error could cause this behavior?

Choose 2 answers

- A. The fields that are not updated are read only in Salesforce.
- B. In the DataRaptor Load, in the Preview tab, the Record is from the wrong record type.
- C. The input JSON paths In the DataRaptor Load do not match the JSON from the OmniScript.
- D. ContextId is misspelled in the merge code that passes the RecordId to the DataRaptor

**Answer: AC**

#### NEW QUESTION 3

A developer is configuring a DataRaptor Load to Save contract data. The developer needs to set the record type of the contact using DeveloperName. Which two configuration actions should the developer take to set this up in the DataRaptor Load?

- A. Check is Lookup property when mapping the fields.
- B. Add Link to RecordType object in the Contact Object with the id field of RecordType object.
- C. Select RecordType in the Lookup object list
- D. Development in the lookup Field list, and ID in the Lookup Requested Field list.
- E. Select RecordType in the Lookup Object list
- F. ID in the Lookup Field list, and Development in the Lookup requested Field list.

**Answer: AC**

#### NEW QUESTION 4


A developer examines data received from an external data source. The data is nested two levels down in the JSON structure. Which OmniStudio tool could the developer use to simplify this data?

- A. A guided workflow
- B. A DataRaptor Transform
- C. An HTTP Action Element
- D. An integration Procedure

**Answer: B**

#### NEW QUESTION 5

What is the reason for this? Refer to the exhibit below.



- A. The WLC PubSub Messge flag in the Set Values action of the parent OmniScript has not been set.
- B. The flag passData.JSON in the parent OmniScript in not configured correctly.
- C. A developer failed to include a Navigate Action Element to pass data from the parent OmniScript.
- D. Both parent and embedded OmniScripts have thesame element name for the Set Values element.

**Answer: C**

**NEW QUESTION 6**

A developer needs to change some field labels on a FlexCard. The FlexCard is currently deployed to production. The developer that the best course of action is to version the FlexCard rather than cloning it.  
 Which factor wouldlead the developer to this decision?

- A. The new version of the FlexCard will be used in a new Console, and the current version of the FlexCard should remain unchanged.
- B. Another team member is developing new action, fields and styling for the current version of the FlexCard.
- C. The new and current versions will be displayed together on the same target.
- D. All instance of the FlexCard must be updated with the changes.

**Answer: B**

**NEW QUESTION 7**

A developer is configuring an integration Procedure Action in an OmniScript. The Omniscrypt needs a JSON response from the Integration Procedure but does not need to wait for the response for the user to proceed.  
 Which feature should the developer enable?

- A. Toast Completion
- B. Use Future
- C. Invoke Mode Fire and Forget
- D. Invoke Mode Non-Blocking

**Answer: D**

**NEW QUESTION 8**

A developer needs to display the following information together on one FlexCard:

- \* Account name, address, phone number, website
- \* Primary contact first name, contact name, address, phone number,email

The account information must always be visible, and the contact information should only be visible as needed by the user.  
 What approach should the developer use to display the contact information on the card?

- A. Use a Datable element
- B. Set the class" collapsible" on the block element
- C. Set the collapsible property on the block element
- D. Use a conditional FlexCard State

**Answer: C**

**NEW QUESTION 9**

A developer creates a Flexcard that displays a contact's mailing address and passes the contact's postal code to a child FlexCard. When configuration textelements in the child FlexCard, what syntax should a developer use to refer to the contact's postal code?

- A. {Postalcode}
- B. {Parent.postalcode}
- C. {Records.postalcode}
- D. {Params.postalcode}

**Answer: D**

**NEW QUESTION 10**

A company wants to allow agents to send customers a quote for signature. The quote is a documentscreated using a DocuSign template that has been prefilled with all of the quote details. The document will be emailed to one or more recipients for signature. How should a developer configure this functionality in an OmniScript?

- A. DocuSign Envelope Action
- B. PDF Acwm
- C. DocuSign Signature Action
- D. Email Action

**Answer: C**

**NEW QUESTION 11**

Refer to the exhibit.



A)

```

"step1": {
  "Block1": {
    "Text1": "Text",
    "Block2": {
      "Telephone1": "1234567890",
      "Checkbox1": false
    }
  },
  "Block3": {
    "Multi-select1": "Value A;Value B"
  }
}

```

B)

```

"step1": {
  "Block1": {
    "Text1": "Text",
    "Telephone1": "1234567890",
    "Block2": {
      "Checkbox1": false
    }
  },
  "Block3": {

```

- A. Option A
- B. Option B

**Answer: A**

**NEW QUESTION 12**

A developer is configuring the API URL in an HTTP Action element within an Integration procedure. What is the merge code syntax for passing a Date node from

an element named SetValues in the URL?

- A. x%SetValues.Date%
- B. (' Setvalues'] [ 'Date']
- C. %SetValues Date
- D. {(SetValue
- E. Date)}

**Answer: C**

**NEW QUESTION 13**

A developer has a requirement to create a child FlexCard that contain all of its parent FlexCard's records in a Datatable.

- A. {Records[0]}
- B. {Records}
- C. {Params records}
- D. {recordId}

**Answer: B**

**NEW QUESTION 14**

.....



## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **OmniStudio-Developer Practice Exam Features:**

- \* OmniStudio-Developer Questions and Answers Updated Frequently
- \* OmniStudio-Developer Practice Questions Verified by Expert Senior Certified Staff
- \* OmniStudio-Developer Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* OmniStudio-Developer Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The OmniStudio-Developer Practice Test Here](#)**